

5 Ply Doors - Structural Composite Lumber Core (SCL) - EnviroDesign™ Series  
by Lambton Doors

Health Product  
Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26116  
CLASSIFICATION: 08 14 00 Wood Doors  
PRODUCT DESCRIPTION: This HPD covers Lambton Doors' EnviroDesign™ series of 5 Ply doors with a structural composite lumber core (SCL). In particular, it covers the following product models: 5-FSLSL- EME/ECE/EBE, 5-UFLSL- EME/ECE/EBE, 5-FSSCL45- EME/ECE/EBE, 5-UFSC45- EME/ECE/EBE, 5-STC31- EME/ECE/EBE. Please note that this HPD does not cover jambs and fixtures.

Section 1: SummaryNested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Above the Threshold Indicated Are:
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 7 of 7 Materials	% weight and role provided for all substances.
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Material	<input type="radio"/> Other	for Residuals/Impurities?	All substances screened using Priority Hazard Lists with results disclosed.
<input type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
DOOR CORE [ WOOD FIBER - UNSPECIFIED NoGS POLYMERIC MDI (PMDI) LT-UNK | MUL | RES | CAN PARAFFIN LT-UNK ] LOW-EMITTING CROSSBAND (NO-ADDED FORMALDEHYDE) [ WOOD DUST - UNSPECIFIED NoGS POLYMERIC MDI (PMDI) LT-UNK | MUL | RES | CAN SLACK WAX (PETROLEUM) LT-1 | CAN | MUL ] STILES AND RAILS [ WOOD FIBER - UNSPECIFIED NoGS POLYMERIC MDI (PMDI) LT-UNK | MUL | RES | CAN PARAFFIN LT-UNK ] VENEER [ MAPLE NoGS ] HARDWOOD EDGES [ MAPLE NoGS ] ADHESIVES [ POLYVINYL ACETATE (PVA) LT-UNK ALUMINUM NITRATE, 9-HYDRATE LT-UNK BUTYL CARBITOL ACETATE LT-UNK VINYL ACETATE LT-P1 | CAN | END | MUL | MAM | GEN | PHY ] UV FINISHES [ TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL TALC BM-1 | CAN MAGNESITE LT-UNK TRIMETHYLOLPROPANE TRIACRYLATE LT-P1 | SKI | CAN | EYE | RES | MUL SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN DIPROPYLENE GLYCOL DIACRYLATE LT-UNK BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 N-METHYLDIETHANOLAMINE LT-P1 | END | EYE BENZOYL ISOPROPANOL LT-P1 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL QUARTZ LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Lambton Doors' products do not contain impurities. Products have been screened at a 1,000 ppm level so that all potential residuals that could have existed in raw materials (wood, adhesives, wood panels and finishes), at that level, have been disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: NA

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-07-22

PUBLISHED DATE: 2021-09-20

EXPIRY DATE: 2024-07-22

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)*

DOOR CORE		%: 70.0200 - 70.0200	
MATERIAL THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.			
OTHER MATERIAL NOTES: The door core is composed of structural composite lumber. The same material as in the stiles and rails.			

WOOD FIBER - UNSPECIFIED				ID: Not registered	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-22 6:39:16		
%: 93.0000 - 95.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: May vary depending on product					

POLYMERIC MDI (PMDI)				ID: 9016-87-9		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-22 6:39:18				
%: 4.0000 - 6.0000		GS: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS		
MUL		US EPA - PPT Chemical Action Plans		EPA Chemical of Concern - Action Plan published		
RES		AOEC - Asthmagens		Asthmagen (G) - generally accepted		
CAN		MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES		MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		
RES		US EPA - PPT Chemical Action Plans		Inhalation sensitizer causing asthma and lung damage		
SUBSTANCE NOTES: Polymeric Diphenylmethane Diisocyanate. Concentration may vary depending on product.						

PARAFFIN					ID: 8002-74-2	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library					HAZARD SCREENING DATE: 2021-07-22 6:39:26	
%: 0.0000 - 1.0000		GS: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: May vary depending on product						

LOW-EMITTING CROSSBAND (NO-ADDED FORMALDEHYDE)		%: 19.1700 - 19.1700	
MATERIAL THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood Dust, Fiber or Chips
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.			
OTHER MATERIAL NOTES: Door crossband is high-density fiberboard (HDF) without any added formaldehyde.			

## WOOD DUST - UNSPECIFIED

ID: Not registered

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:16</b>		
#: <b>93.0000 - 97.0000</b>	GS: <b>NoGS</b>	RC: <b>PreC</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: See Material notes				

## POLYMERIC MDI (PMDI)

ID: 9016-87-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:19</b>		
%: <b>3.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
SUBSTANCE NOTES: No-added formaldehyde resin				

## SLACK WAX (PETROLEUM)

ID: 64742-61-6

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:25</b>	
%: <b>0.0000 - 1.0000</b>		GS: <b>LT-1</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Water resistance</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	EU - GHS (H-Statements)	H350 - May cause cancer	
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
CAN	GHS - Australia	H350 - May cause cancer	
SUBSTANCE NOTES: See Material notes			

## STILES AND RAILS

**%: 6.3900 - 6.3900**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.

OTHER MATERIAL NOTES: Stiles and rails are made of structural composite lumber.

WOOD FIBER - UNSPECIFIED				ID: Not registered	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-22 6:39:17			
%: 93.0000 - 95.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: May vary depending on product					

POLYMERIC MDI (PMDI)				ID: 9016-87-9		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-22 6:39:19				
%: 4.0000 - 6.0000		GS: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS		
MUL		US EPA - PPT Chemical Action Plans		EPA Chemical of Concern - Action Plan published		
RES		AOEC - Asthmagens		Asthmagen (G) - generally accepted		
CAN		MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES		MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		
RES		US EPA - PPT Chemical Action Plans		Inhalation sensitizer causing asthma and lung damage		
SUBSTANCE NOTES: Polymeric Diphenylmethane Diisocyanate. Concentration may vary depending on product.						

PARAFFIN					ID: 8002-74-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-22 6:39:25		
%: 0.0000 - 1.0000		GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: May vary depending on product					

veneers	%: 1.7500 - 1.7500	
MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood or Lumber
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.		
OTHER MATERIAL NOTES: Veneers are available in a multitude of wood species, but Maple has been chosen as baseline scenario.		

MAPLE			ID: Not registered		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-22 6:39:15		
%: 100.0000 - 100.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: See Material notes					

HARDWOOD EDGES %: 1.3500 - 1.3500

MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood or Lumber
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.		
OTHER MATERIAL NOTES: Edges are made of hardwood from a variety of wood species, but Maple has been chosen as baseline scenario.		

MAPLE			ID: Not registered		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-22 6:39:14		
%: 100.0000 - 100.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: See Material notes					

ADHESIVES %: 0.8600 - 0.8600

MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered.		
OTHER MATERIAL NOTES: Adhesives are used throughout the production line for assembly. They are all PVAc-based adhesives. PVAc = Polyvinyl Acetate		

POLYVINYL ACETATE (PVA)				ID: 9003-20-7	
HAZARD SCREENING METHOD:		Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-22 6:39:15	
%: 94.0000 - 99.0000		GS: LT-UNK		RC: None	NANO: No
		SUBSTANCE ROLE: Adhesive			
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Concentration may vary from a PVAc-based adhesive to another					

ALUMINUM NITRATE, 9-HYDRATE			ID: 7784-27-2		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-07-22 6:39:24		
%: 0.0000 - 6.0000		GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Only present in one of the three PVAc-based adhesives. Ranges from 1% to 6% in the actual adhesive.		

BUTYL CARBITOL ACETATE

ID: 124-17-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:24</b>		
%: <b>0.0000 - 3.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coalescent</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Only present in one of the three PVAc-based adhesives. Ranges from 1% to 3% in the actual adhesive.				

VINYL ACETATE

ID: 108-05-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:25</b>				
<b>%: Impurity/Residual</b>		<b>GS: LT-P1</b>		<b>RC: None</b>	<b>NANO: No</b>	<b>SUBSTANCE ROLE: Impurity/Residual</b>
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS		
CAN		EU - GHS (H-Statements)		H351 - Suspected of causing cancer		
CAN		MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END		TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CAN		IARC		Group 2b - Possibly carcinogenic to humans		
MUL		German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
MAM		US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances		
GEN		GHS - New Zealand		6.6A - Known or presumed human mutagens		
PHY		EU - GHS (H-Statements)		H225 - Highly flammable liquid and vapour		
SUBSTANCE NOTES: Only present in one of the three PVAc-based adhesives. Under 0.1% in the actual adhesive.						

UV FINISHES

%: 0.4600 - 0.4600

MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered.		
OTHER MATERIAL NOTES: UV-cured finishes (100% solids). Inventory of substances based on MSDSs of all four layers of product (1 layer = 1 UV curable product, 4 layers (4 products) in total). All products have been merged into one material to simplify the inventory.		

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:17</b>		
%: <b>5.0000 - 60.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>



HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
SUBSTANCE NOTES: Composition varies among layers		

## TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:18</b>		
%: <b>5.0000 - 10.0000</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
SUBSTANCE NOTES: Composition varies among layers				

## MAGNESITE

ID: 546-93-0

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:19</b>		
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Composition varies among layers				

## TRIMETHYLOLPROPANE TRIACRYLATE

ID: 15625-89-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:48:36</b>		
?: <b>0.0000 - 10.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	IARC	Group 2b - Possibly carcinogenic to humans
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
SUBSTANCE NOTES: Composition varies among layers		

SILICA, AMORPHOUS (PRIMARY CASRN IS 7631-86-9)

ID: 107497-59-6

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:56:45</b>		
%: <b>0.0000 - 5.0000</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Nucleating agent</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	GHS - Australia		H350i - May cause cancer by inhalation	
CAN	GHS - Japan		Carcinogenicity - Category 1A [H350]	
SUBSTANCE NOTES: Composition varies among layers				

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:47:37</b>		
%: <b>0.0000 - 60.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Composition varies among layers				

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:46:09</b>		
%: <b>0.0000 - 60.0000</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Composition varies among layers				

N-METHYLDIETHANOLAMINE

ID: 105-59-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:44:28</b>		
%: <b>0.0000 - 5.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SUBSTANCE NOTES: Composition varies among layers				

BENZOYL ISOPROPANOL

ID: 7473-98-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-22 6:59:35		
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Reagent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Composition varies among layers				

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-07-22 6:39:23</b>		
%: <b>0.0000 - 10.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Reagent</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
SKI	EU - GHS (H-Statements)		H315 - Causes skin irritation	
EYE	EU - GHS (H-Statements)		H319 - Causes serious eye irritation	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SKI	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
SUBSTANCE NOTES: Composition varies among layers				

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2021-07-22 6:39:23</b>	
%: <b>0.0000 - 10.0000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES: Composition varies among layers		

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	NA
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-08-16
APPLICABLE FACILITIES: NA	EXPIRY DATE:
CERTIFICATE URL:	CERTIFIER OR LAB: NA
CERTIFICATION AND COMPLIANCE NOTES: Project under analysis	

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

ALL ACCESSORIES	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Please consult Lambton Doors' website for more information on available accessories: <a href="http://www.lambtondoors.com/architects-space/technical-space/options-and-accessories/">http://www.lambtondoors.com/architects-space/technical-space/options-and-accessories/</a> ----- For the door model 5-STC31-EME/ECE/EBE, acoustical hardware are used.	

## Section 5: General Notes

See "INVENTORY AND SCREENING NOTES" for information on Residuals/Impurities.

## MANUFACTURER INFORMATION

**MANUFACTURER:** Lambton Doors  
**ADDRESS:** 235 2nd Avenue  
  
**Lambton Quebec G0M 1H0, Canada**  
**WEBSITE:** [www.lambtondoors.com](http://www.lambtondoors.com)

**CONTACT NAME:** Keven Campagna  
**TITLE:** R&D Supervisor  
**PHONE:** 418 486 7401  
**EMAIL:** [keven.campagna@lambtondoors.com](mailto:keven.campagna@lambtondoors.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

### Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*