



Intertek does hereby certify that an independent assessment has been conducted on behalf of

LAMBTON DOORS

Certificate Number: CA-10422-2026a

Certificate Issue Date: 13 January 2026

Certification valid until: 21 March 2027

Applicant Address: 235,2e Avenue
Lambton, Qc, Canada

Product Category: Building Products

Product Details: See Appendix

Conformance Criteria: California Department of Public Health (CDPH) Standard Method v1.2: Private Office, School Classroom & Single Family Residence

Issuing Office Name & Address: Intertek Testing Services NA, Inc.
4700 Broadmoor Ave SE, Suite 200
Kentwood, MI 49512 USA
Ph: +1-616-656-7401

Faye Ricker
Certification Officer
13 January 2026

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This certificate is valid only for the specific product model(s), batch, or lot number(s) listed. It is not transferable to other products, even if they are similar in nature. Intertek reserves the right to revoke or modify this certificate if, for example, it is determined that the information provided was inaccurate, incomplete or if the product(s) are found to be non-compliant with applicable safety standards.



Certificate Appendix

LAMBTON DOORS

Certificate Number: CA-10422-2026a

Product Type	Doors (continued on page 3)
Model Name(s)	<p>Acoustical Door System STC (Ecological EnviroDesign Series with No Urea Formaldehyde): 5-STC27-ECE, 5-STC45-ECE, 5-STC27-EME, 5-STC45-EME, 5-STC27-EBE, 5-STC50-ECE, 5-STC31-ECE, 5-STC50-EME, 5-STC31-EME, 5-STC3290-ECE, 5-STC31-EBE, 5-STC3290-EME, 5-STC35-ECE, 5-STC3290-EBE, 5-STC35-EME, 5-STC3590-ECE, 5-STC35-EBE, 5-STC3590-EME, 5-STC37-ECE, 5-STC3590-EBE, 5-STC37-EME, 5-STC4520-ECE, 5-STC43-ECE, 5-STC4520-EME, 5-STC43-EME, 5-STC4545-ECE, 5-STC44-ECE, 5-STC4545-EME, 5-STC44-EME</p> <p>Agrifiber Core (Ecological Enviro design Series): 5 UFAG-ECE, 5 UFAG-EME, 5 UFAG8300 ECE, 5 UFAG8300 EME, 5 UFAG8500 ECE, 5UFAG8500 EME, 5 FSAG-ECE, 5 FSAG-EME, 5 FSAG8300 ECE, 5 FSAG8300 EME, 5 FSAG8500 ECE, 5FSAG8500 EME</p>
Product Restrictions	None
TVOC Range*	0.5 mg/m ³ or less

**TVOC range stated is based on the most stringent modeling scenario as listed in the Conformance Criteria on page 1. All values are reported (milligram per cubic meter) corresponding to the LEED v4 TVOC ranges.*

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This certificate is valid only for the specific product model(s), batch, or lot number(s) listed. It is not transferable to other products, even if they are similar in nature. Intertek reserves the right to revoke or modify this certificate if, for example, it is determined that the information provided was inaccurate, incomplete or if the product(s) are found to be non-compliant with applicable safety standards.



Certificate Appendix

LAMBTON DOORS

Certificate Number: CA-10422-2026a

Product Type	Doors (continued from page 2)
Model Name(s)	<p>Fire Rated Door Systems (Ecological EnviroDesign Series with No Urea Formaldehyde): 5-FD60-ECE, 5-FD60-EME, 5-FD60-EBE, 5-FD90-ECE, 5-FD90-EME, 5-FD90-EBE, 5-FD45-ECE, 5-FD45-EME, 5-FD45-EBE</p> <p>Hollow Core Series: 5 UFHC ECE ,5 UFHC EME, 5 UFHC EBE, 5 UFHC8300 ECE, 5 UFHC8300 EME, 5 UFHC8300 EBE, 5 UFHC8500 ECE, 5 UFHC8500 EME</p> <p>Particleboard Core (PC) (Ecological EnviroDesign Series with No Urea Formaldehyde): 5-FSPC-ECE, 5-FSPC-EME, 5-FSPC-EBE, 5-UF8300-ECE, 5-UF8300-EME, 5-UF8300-EBE, 5-UFPC-ECE, 5-FS8500-ECE, 5-UFPC-EME, 5-FS8500- EME, 5-UFPC-EBE, 5-FS8500-EBE, 5-FS8300-ECE, 5-UF8500-ECE, 5-FS8300-EME, 5-UF8500-EME,</p>
Product Restrictions	None
TVOC Range*	0.5 mg/m ³ or less

*TVOC range stated is based on the most stringent modeling scenario as listed in the Conformance Criteria on page 1. All values are reported (milligram per cubic meter) corresponding to the LEED v4 TVOC ranges.

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This certificate is valid only for the specific product model(s), batch, or lot number(s) listed. It is not transferable to other products, even if they are similar in nature. Intertek reserves the right to revoke or modify this certificate if, for example, it is determined that the information provided was inaccurate, incomplete or if the product(s) are found to be non-compliant with applicable safety standards.